

NITRILE FOAM PALM WITH ECO FRIENDLY LINER AND TOUCH SCREEN CAPABILITIES

Lightweight nitrile foam glove with an outstanding durability and grip, eco friendly liner and touch screen capabilities.

FEATURES

- ▶ GeniumTM is an eco friendly liner with 1/3 of the ingredients by weight that are sustainably sourced and that requires 30% less energy to be produced
- > Touchscreen capability on thumb and index finger
- Anatomically designed with moisture wicking to deliver great comfort
- > Excellent grip in all conditions (dry wet, oily)
- Low particle shedding for sensitive applications
- Super soft liner
- Patented nitrile foam palm coating enhances protection
- > Sanitized® antimicrobial finish provides extra freshness
- ▶ Light heat protection up to 100°C for a short period











SUITABLE FOR

Typical Industries

- Automotive
- Logistics
- Maintenance
- Manufacturing
- Utilities

Suitable Applications

- Assembly
- Goods Handling
- Light Fabrication
- Quality Inspection
- Warehousing

CERTIFICATION



CAT II



EN 388:2016



EN407:2004

4121A

X1XXXX

See overleaf for explanation







PRODUCT INFORMATION

MATERIALS	LINER:	15 gauge Genium™, nylon, spandex	
	COATING:	Foam nitrile	
COLOUR	Grey / Black		
LENGTH (mm)	250 (size dependent)		
CUFF STYLE	Elasticated knit wrist		

ORDERING DETAILS

SIZE	CODE	PACKAGING
6/XS 7/S 8/M 9/L 10/XL 11/XXL	SKG00022FB SKG00022FD SKG00022FF SKG00022FH SKG00022FJ SKG00022FL	10 pairs per bag 120 pairs per case


RECOMMENDATIONS FOR USE

- USE: General handling glove. Not suitable for high thermal (beyond 100°C), electrical or chemical protection. Do not use near moving $machines\ if\ there\ is\ a\ risk\ of\ entanglement$
- STORAGE: Store in dry conditions in the original packaging and away from
- CLEANING: To clean, wipe with a damp cloth. Note: The performance characteristics of worn and laundered gloves may differ from the results shown. Inspect the gloves to ensure no damage is present.
- LIFETIME: Service life depends on the glove application and therefore cannot be specified. It is the responsibility of user to ensure the glove is suitable for its intended use

CERTIFICATION LEGENDS



MECHANICAL HAZARDS EN 388:2016 PERFORMANCE LEVELS*



*If tests are not performed or are not applicable, 'X' will be placed instead of a number/letter



HEAT AND FIRE

PERFORMANCE LEVELS 0-4 0-4 0-4 0-4

Burning Behaviour

Contact Heat Resistance

Resistance to Large Splashes of Molten Metal Resistance to Small Drops Of Molten Metal Radiant Heat Resistance Convective Heat Resistance

0-4 0-4

EUROPE

www.globusgroup.com

E: sales@globus.co.uk +44 (0)161 877 4747 +44 (0)161 877 4746 MIDDLE EAST AND AFRICA

www.globusgroup.com/gcc

E: gcc@globusgroup.com +971 4 882 9962 F: +971 4 882 9963



Globus Group, T2 Trafford Point, Twining Road, Trafford Park, Manchester, M17 1SH, UNITED KINGDOM Globus EMEA FZE, Jafza One, Tower A, Office 2201, Jebel Ali, PO Box 61195, Dubai, UNITED ARAB EMIRATES

©2021 Globus (Shetland) Ltd | SKY-DATA-ARIA 360 0421 2